



An ISO 9001:2008 Certified Company

STORAGE WATER HEATER

REBORN EVERYDAY WITH HOT WATER

FEATURES



5 Star BEE Standard



Rust Free Body



Magnesium Anode



High Precious Thermostat



Thermal Cutout



MFV (Extreme Condition)



Dual Light Indicators



IS: 2082



1 Year Warranty
On Entire Product



5 Years Warranty
On Inner Tank Only



7 Years Warranty
For Safety Valve



ISO 9001: 2008
Certified Co.



Make In India



NOT SUITABLE FOR VERY HIGH RISE BUILDINGS & BOOSTER PUMP

CML-3244245

IS : 2082



CML-3244346



- * Suitable for Residential & Commercial use.
- * Not Suitable for Booster, Pressure Pump & Very high rise buildings.

SECOTM

Star

FULLY AUTOMATIC Water Heater

An ISO 9001:2008 Certified Company

STORAGE WATER HEATER

REBORN HOT WATER EVERYDAY WITH



NOT SUITABLE FOR VERY HIGH RISE BUILDINGS & BOOSTER PUMP

1 YEAR
WARRANTY
on Entire Product

5 YEARS
WARRANTY
on Inner Tank Only

7 YEARS
WARRANTY
for Safety Valve

AVAILABLE IN
6, 10, 15, 25 Liters



SECOTM Star

An ISO 9001:2008 Certified Company

IS: 8978 IS: 2082



Salient Features :

- 1. OUTER CASING**
The outer body is made of heavy gauge mild steel sheet finished with protective anticorrosive rust proof powder coating. Also available in PVC body.
- 2. INNER WATER CONTAINER**
This is made of best quality stainless steel/copper sheets of (99% purity) to suit hard & soft water. These are made with double lapped joints which are further welded for extra strength which makes item leak-proof.
- 3. HEATING ELEMENT**
Highly efficient, long lasting & trouble free direct immersion type ISI marked heating element encased in highly nickel plated copper tube.
- 4. THERMOSTAT**
ISI Marked snap-action stem type thermostat safety device with a temperature range between 30°C to 75°C but preset at 65°C is fitted.
- 5. TEMPERATURE LIMITER (THERMAL CUT-OFF)**
To ensure further safety in case of thermostat failure or dry heating of element another special device TEMPERATURE LIMITER IS FITTED.
- 6. PRESSURE RELIEVING VALVE**
Pressure relieving valve is fitted at the inlet pipe of the water heater to check & release excess water pressure. Normally worked at 30 - 40 N/cm².
- 7. THERMAL INSULATION**
Space gap between the timer container and the outer casing is insulated with best quality vermin proof glass wool which ensures minimum heat loss resulting in saving of time & electricity consumption and energy upto 35%.

ABS Model
Available in
6, 10, 15, 25 Ltrs.



Floor Mounting
Available in
15, 25, 35, 50 Ltrs.



ABS Model

An Exclusive range of ABS storage water heater designed for a high working pressure. Fortified with an extra strong inner tank. They allow to you to enjoy your bath in refreshing comfort without the bother of leakages and dripping valves. Other Features same as in regular range. Available in **6, 10, 15, 25** Ltrs. in Vertical Models.

Instant
Available in 1 & 3 Ltrs.



HORIZONTAL MOUNTING
Available in 15, 25, 35, 50 Ltrs.

ETC
Fitted with Outer
Temperature
Controllable
Knob



Dealer's Name & Address


Inner Container : Copper and Stainless Steel
Outer Casing : ABS / Mild Steel
Size Available : 1, 3, 6, 10, 15, 25, 35, 50 Ltrs.

SECO Star

An ISO 9001:2008 Certified Company

FULLY AUTOMATIC Water Heater

AN ISO 9001 : 2008 COMPANY



- * Suitable for Residential & Commercial use.
- * Not Suitable for Booster, Pressure Pump & Very high rise buildings.

STORAGE
**WATER
HEATER**
REBORN HOT WATER

WATER HEATER SERVICE HELP LINE
FOR BANGALORE (URBAN)

080-4215 4379

+918147 1 22 333

1800 103 08 28 (6 lines)

MONDAY TO FRIDAY
10.30 AM TO 5.30 PM

IS : 8978



CML-3244245

IS : 2082



CML-3244346

SECO Star

An ISO 9001:2008 Certified Company

Salient Features :

- OUTER CASING**
The outer body is made of heavy gauge mild steel sheet finished with protective anticorrosive rust proof powder coating. Also available in PVC body.
- INNER WATER CONTAINER**
This is made of best quality stainless steel/copper sheets of (99% purity) to suit hard & soft water. These are made with double lapped joints which are further welded for extra strength which makes item leak-proof.
- HEATING ELEMENT**
Highly efficient, long lasting & trouble free direct immersion type ISI marked heating element encased in highly nickel plated copper tube.
- THERMOSTAT**
ISI Marked snap-action stem type thermostat safety device with a temperature range between 30°C to 75°C but preset at 65°C is fitted.
- TEMPERATURE LIMITER (THERMAL CUT-OFF)**
To ensure further safety in case of thermostat failure or dry heating of element another special device TEMPERATURE LIMITER IS FITTED.
- PRESSURE RELIEVING VALVE**
Pressure relieving valve is fitted at the inlet pipe of the water heater to check & release excess water pressure. Normally worked at 30-40 N/cm²
- THERMAL INSULATION**
Space gap between the inner container and the outer casing is insulated with best quality vermin proof glass wool which ensures minimum heat loss resulting in saving of time & electricity consumption and energy upto 35%.

ABS Model

Available in
6, 10, 15, 25 Ltrs.



Floor Mounting

Available in
15, 25, 35, 50 Ltrs.



ABS Model

A Exclusive range of ABS storage water heater designed for a high working pressure. Fortified with an extra strong inner tank. They allow you to enjoy your bath in refreshing comfort without the bother of leakages and dripping valves. Other Features same as in regular range.

Available in 6, 10, 15, 25 Ltrs. in Vertical Models.



Instant

Available in 1, & 3 Ltrs.



HORIZONTAL MOUNTING

Available in 15, 25, 35, 50 Ltrs.

ETC


Fitted with Outer
Temperature
Controllable
Knob



Dealer's Name & Address

Inner Container : Copper and Stainless Steel
Outer Casing : ABS / Mild Steel
Size Available : 1, 3, 6, 10, 15, 25, 35, 50 Ltrs.

WARRANTY CARD



An ISO 9001:2008 Certified Company



**WATER HEATER SERVICE HELP LINE
FOR BANGALORE (URBAN)**

080-4215 4379
+918147 1 22 333

**MONDAY TO FRIDAY
10.30 AM TO 5.30 PM**

FEATURES



Name of the Product..... Size/Capacity.

Serial No. Cash Memo No.

Date of Sale Warranty upto

Customer's Name & Address

Dealer's Name Address & Stamp

Warranty is valid only if it is dully stamped and signed by the dealer

Warranty Card

The water heater is warranted for **One Year** against any kind of manufacturing defect, where as the inner heater tanks is warranted for a total period of 5 years for any kind of tank leakage defect from the date of sale. **(NOT EXCEEDING 6 MONTHS FROM THE DATE OF MFG.)**

This warranty is valid only when:

- The water Heater has not been opened or tempered by any unauthorized person.
- The Water Heater has been installed, used and maintained in accordance the instruction manual.
- The photocopies of the warranty card any cash memo received by the customer (at the time of purchase of the Water Heater), are to be presented with the complaint.
- The defective unit s brought to and taken from the service center at customers own risk.

This warranty does not apply for:

- Damages resulting from accident, mishandling or negligence on part of customer.
- Damages due to chipping, peeling, planting and denting.
- Breakages or damages of components parts made cut of ABS Plastic materials, rubber parts and cord.
- Normal wear and tear of parts, Heating element getting damaged due to the bad/hard water being supplied at the inner point of the Water Heater.

- Use a 15 Amp. Pin Plug & preferably a 30 Amp. DP Switch connect Red wire to phase. Black wire to neutral & the Green wire to earth terminal of the plug.

* In any circumstances water heater will not be replaced, only parts will be changed.

* Warranty is not covered if Water Heater is not connected to ELCB/RCCB.

* For Bangalore, service in Bangalore city corporation limits only.

* Incase if you are outside the service area please get the service done at nearest service centre

* Service will be provided between 24 to 72 working hours (No Outstation Service)

For Installation of Water Heater these items are to be provided by customer

Pipe In/Out (Preferable copper)	2 Nos.
Angle Cock	1 No.
3 PIN Top (16 amp.)	1 No.
Nipple	1 No.
Coach Screw / Fastener	4 Nos.
Non Return Valve (Optional)	1 No.

* Installation Charges extra, (Optional)

Exclusive Range of Water Heaters

Inner Container : Copper / Stainless Steel

Outer Casting : ABS / Mild Steel

Size Available : 1, 3, 6, 10, 15, 25, 35, 50 Ltrs.

Model Available : Vertical / Floor / Horizontal (L/R)



WARRANTY CARD

SECO *Star*

An ISO 9001 : 2008 Certified Company

1 YEAR
WARRANTY
on Entire Product

5 YEARS
WARRANTY
on Inner Tank Only

7 YEARS
WARRANTY
Safety Valve

WATER HEATER SERVICE HELP LINE
FOR BANGALORE (URBAN)



080-4215 4379

+918147 1 22 333

1800 103 08 28 (6 lines)



MONDAY TO FRIDAY
10.30 AM TO 5.30 PM

STORAGE
WATER
HEATER
REBORN HOT WATER
EVERYDAY WITH

FEATURES



5-star BEE
standard



Rust Free
Body



Single
Weld Line



Magnesium
Anode



High Precision
Thermostat



Thermal
Cutout



MFV (Extreme
Condition)



Dual Light
Indicators



IS : 2082

* Not suitable for very high rised building and water booster pump.



Name of the Product..... Size/Capacity.

Serial No. Cash Memo No.

Date of Sale Warranty upto

Customer's Name & Address

Dealer's Name Address & Stamp

Warranty is valid only if it is dully stamped and signed by the dealer

AERODYNAMICALLY BALANCED
CRCA METAL BLADE

TM

SECO

FRESH AIR FAN

An ISO 9001:2008 Certified Co.



SIZE 9" (230mm)



A Product By: **EURO STAR**[®]

AERODYNAMICALLY BALANCED
CRCA METAL BLADE

TM

SECO

FRESH AIR FAN

An ISO 9001:2008 Certified Co.



Unique Features :

- Powerful **Capacitor** Type Motor
- Sturdy **Jointless** Frame
- Vibration Free Performance
- Provided with **Brid Guard** at **No Extra Cost**
- Scratch & Corrosion Resistant Coating
- Low Power Consumption
- Compact & Elegant Design

**POWER
SAVER**



30% MORE AIR

IS : 996



(MOTOR ONLY)

* SELECTED MODEL

Available in: 6", 9", 12"

Ideal for : Office,
Kitchen, Washroom,
Stores & Warehouses





Silent
HIGH
SPEED FAN
RPM 400

An ISO 9001:2008 Certified Co.

CEILING FAN

Size Available

24" 600 mm

36" 900 mm

48" 1200 mm



30% MORE AIR

COLOUR AVAILABLE

Ivory

Smoke Brown

Royal Brown



Double Ball
Bearing



COATED



SECO

1200MM (48")

MODEL ; REGAL DECO



COLOURS AVAILABLE

**IVORY
SMOKE BROWN
ROYAL BROWN**

SECO

1200MM (48")

MODEL ; REGAL DECO



COLOURS AVAILABLE

IVORY

SMOKE BROWN

ROYAL BROWN

SECO

1200MM (48")

MODEL ; REGAL DECO



COLOURS AVAILABLE

SMOKE BROWN

ROYAL BROWN

IVORY

SECO
1200 MM (48")
MODEL ; REGAL DECO



COLOURS AVAILABLE
SMOKE BROWN
ROYAL BROWN
IVORY

SECO
1200MM (48")
MODEL ;REGAL DECO



COLOURS AVAILABLE
ROYAL BROWN
SMOKE BROWN
IOVRY

SECO
1200MM (48")
MODEL ; REGAL DECO



COLOURS AVAILABLE
ROYAL BROWN
SMOKE BROWN
IVORY



SAFETY

IS - 302-2-201

IS : 368

An ISO 9001:2008 Certified Co.

ELECTRIC IMMERSION WATER HEATER



shockproof

energy saver



SUITABLE FOR
Hard Water
Bore Water
Normal Water



A Product of :

EURO STAR®
AN ISO 9001:2008 COMPANY



An ISO 9001:2008 Certified Co.

What Ever you, Want to Heat
can Heat them **ALL**



EURO STAR[®]

AN ISO 9001:2008 COMPANY

Axial
Hi-Speed

Ideal For Kitchen Office Cabin And Toilets



DUST FREE

* Selected Models



Size Available in :

100 mm (4 inch)

150 mm (6 inch)

200 mm (8 inch)

COLOUR AVAILABLE			
Ivory	Brown	Black	White
			

30 % MORE AIR



SECOTM

AN ISO 9001:2008 COMPANY

Axial

Hi-Speed



DUST FREE

* Selected Models



Ideal For : Offices Cabins & Toilet..

30% MORE AIR

100 mm(4")

Axial

Hi-Speed

A Product By:

EURO STAR[®]

AN ISO 9001:2008 COMPANY

SECO

AN ISO 9001:2008 COMPANY

Ventilation Fan Hi-Speed



* Selected Models



EURO STAR[®]
AN ISO 9001:2008 COMPANY

30% MORE AIR

200 mm (8")

Ventilation Fan
Hi-Speed

A Product By:

EURO STAR[®]
AN ISO 9001:2008 COMPANY

Ideal For : Offices Cabins & Toilet..

SECO

AN ISO 9001:2008 COMPANY

Ventilation Fan Hi-Speed

Unique Features:

- Powerful Motor
- Engineering Excellence for Better Performance
- Vibration Free Performance
- Corrosion Resistant Coating
- Low Power Consumption
- Elegant Design

Exhaust Fan



A Product By:

EURO STAR[®]
AN ISO 9001:2008 COMPANY

Euro Star

AN ISO 9001-2015 CERTIFIED COMPANY

Axial Fan 4 & 6 Inch



Ventilating Fan 6 & 8 Inch



Roto grill & Cabin Ffan



ROTO MAGIC CABIN FAN



CABIN FAN