



ISO 9001:2008 Certified Co.



Fully Automatic Storage Water Heater

Ultra Elwin

SOMANY AN ISO 9001 : 2008 COMPANY

- SUITABLE FOR**
- BORE WATER** ☒
 - HARD WATER** ☒
 - NORMAL WATER** ☒



NOT SUITABLE FOR VERY HIGH RISE BUILDINGS & BOOSTER PUMP

Ultra Elwin



Salient Features :


FULLY AUTOMATIC Water Heater



- 1. OUTER CASING**
The outer body is made of heavy gauge mild steel sheet finished with protective anticorrosive rust proof powder coating. Also available in PVC body.
- 2. INNER WATER CONTAINER**
This is made of best quality stainless steel/copper sheets of (99% purity) to suit hard & soft water. These are made with double lapped joints which are further welded for extra strength which makes item leak-proof.
- 3. HEATING ELEMENT**
Highly efficient, long lasting & trouble free direct immersion type ISI marked heating element encased in highly nickel plated copper tube.
- 4. THERMOSTAT**
ISI Marked snap-action stem type thermostat safety device with a temperature range between 30°C to 75°C but preset at 65°C is fitted.
- 5. TEMPERATURE LIMITER (THERMAL CUT-OFF)**
To ensure further safety in case of thermostat failure or dry heating of element another special device TEMPERATURE LIMITER IS FITTED.
- 6. PRESSURE RELIEVING VALVE**
Pressure relieving valve is fitted at the inlet pipe of the water heater to check & release excess water pressure. Normally worked at 30-40 N/cm²
- 7. THERMAL INSULATION**
Space gap between the inner container and the outer casing is insulated with best quality vermin proof glass wool which ensures minimum heat loss resulting in saving of time & electricity consumption and energy upto 35%.

ABS Model

Available in 6, 10, 15, 25 Ltrs.



Floor Mounting

Available in 15, 25, 35, 50 Ltrs.



ABS Model

A Exclusive range of ABS storage water heater designed for a high working pressure. Fortified with an extra strong inner tank. They allow to you to enjoy your bath in refreshing comfort without the bother of leakages and dripping valves. Other Features same as in regular range.

Available in 6, 10, 15, 25 Ltrs. in Vertical Models.

Instant

Available in 1, 3 Ltrs.




HORIZONTAL MOUNTING

Available in 15, 25, 35, 50 Ltrs.

ETC

Fitted with Outer Temperature Controllable Knob



Dealer's Name & Address

Inner Container : Copper and Stainless Steel
Outer Casing : ABS / Mild Steel
Size Available : 1, 3, 6, 10, 15, 25, 35, 50 Ltrs.

Ultra Elwin



FULLY AUTOMATIC Water Heater



AN ISO 9001 : 2008 COMPANY



WATER HEATER SERVICE HELP LINE
FOR BANGALORE (URBAN)

080-4215 4379

+918147 1 22 333

1800 103 08 28 (6 lines)

MONDAY TO FRIDAY
10.30 AM TO 5.30 PM

* Suitable for Residential & Commercial use.

* Not Suitable for Booster, Pressure Pump & Very high rise buildings.

Ultra Elwin

SOMANY AN ISO 9001 : 2008 COMPANY

CEILING FAN

Silent
HIGH
SPEED FAN
RPM 400

Size Available

24" 600 mm

36" 900 mm


48" 1200 mm

COLOUR AVAILABLE

Ivory

Smoke Brown

Royal Brown



30% MORE AIR



Double Ball
Bearing



COATED

